


200X1200 MM
WOODEN STRIP

THE GREATEST GLORY
IN LIVING LIFE STYLE IS

Luxurious life






KNOW ABOUT US

WOODS OF ceramic is a great evolution in ceramic floorings that evoke wood, fusing warmth and naturalness. In this catalogue you will find a wide variety of woods, shades and finishes.

The investment in R&D allows us to be the latest not only in the production process, we also have the technology to decorate our pieces providing them with a better finish and a more realistic effect. A careful selection of the most characteristic woods and of greater aesthetic value make our product more differentiating.

we promote our ecological character by obtaining certificates that guarantee our effort. The objective is to preserve the present and the future. Efficient energy management, rational use of water and the minimization of emissions are some of our objectives. For this reason we have recently been granted to our product CERAMIC Tiles.



AGRAP TO EACH
AND EVERY MILESTONE
of luxury

DESIGN

THE VISION OF CERAMIC

Ceramic, excellence is not a onetime effort, it's a custom to be followed on regular basis, and so we abide by all the necessary norms and deliver supreme quality resources. We will to continue doing so and attain success by being a market leader Apart from that, we also desire to be recognized as one of the most fruitful employers for our team, along with being a productive patron for our associates.

THE CULTURE OF "MAKING CERAMICS"

AUTHENTICITY-

We adhere to the idea of delivering best quality tiles and we are committed to this belief completely.

TEAMWORK-

We believe that teamwork delivers the best work and we encourage team spirit in our working processes.

INTEGRITY-

We serve our clients with supreme dedication and do not let our loyalty towards norms get affected at any cost.

STABILITY-

To serve tiles of unbeatable quality, we make use of certified resources and technology.

CUSTOMER SATISFACTION-

Customers and their satisfaction make the base of our working pyramid.

THEIR REPRESENT
LOOKS MAKE LIFE
AND NATURAL
HARMONIZE IT



ALPINE BROWN

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

**ALPINE
BROWN**



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

ALL THE LIVES WE
EVER LIVED AND
ALL THE LIVES TO
BE FULL OF
VERSATILE



ALPINE GREY

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

ALPINE
GREY



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

THIS LOOK
REPRESENT
THE TOUCH
OF
MELANCHOLY



ALPINE LITE GREY

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

ALPINE LITE
GREY

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IF YOU
CHOOSE TO
BE NATURAL,
THAT'S
BEAUTIFUL



ALPINE NATURAL

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

ALPINE
NATURAL

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

THIS TILE
SHOWS
THE
TOUCH OF
FORTUNE



AMARA WOOD

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

AMARA
WOOD



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

ONE OF THE
FAVOURITE
TASTE FOR TILE
AND IT IS BEST
OF THE ONE



BAYUR GINGER

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

BAYUR
GINGER

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

ALWAYS
SHOWS US
HOW
BEAUTIFUL IT IS
LET THINGS GO



CLARA LIGHT BEIGE

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

CLARA LIGHT
BEIGE



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

IT GIVES THE
LOOK OF
PERENNIAL
TEMPTATION



CYPRESS

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

15 Random

THICKNESS
9 MM

CYPRESS



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

EVERY TILE IS A
PRECIOUS AND
SUITED FOR
EVERY
ATMOSPHERE



CYPRESS DARK

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

15 Random

THICKNESS
9 MM

CYPRESS
DARK

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT IS LOOK
LIKE
SIMPLE
BUT IT IS
CLASSY



EGYPTION BROWN

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

9 Random

THICKNESS
9 MM

EGYPTIAN
BROWN

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

THE NATURAL
WOOD MAKES IT
WONDERFUL SPACE
AND IT IS SUITED
FOR EVERY CORNER



EGYPTION GREY

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

9 Random

THICKNESS
9 MM

EGYPTION
GREY

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT'S AN AUSPICIOUS
STYLE OF WOOD
TILE AND MAKES IT
EXCLUSIVE
CORNER.



EGYPTION WOOD NATURAL

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

EGYPTION WOOD NATURAL



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

IT IS ARCHITECT
LUXURY LOOK
AND
SIGNIFICANT
THINGS



HEMLOCK WOOD

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

HEMLOCK
WOOD



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

THE MAGIC IN
NEW BEGGININGS
IS TRULY MOST
POWERFUL TO
ALL.



MARMO

BEIGE

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

11 Random

THICKNESS
9 MM

MARMO
BEIGE



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

A JOURNEY OF
THOUSAND
MILES BEGINS
WITH A NEW
STEP



MARMO PINE

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

11 Random

THICKNESS
9 MM

MARMO
PINE

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

BRINGING
BEAUTY, TO
ALL YOUR
SPACE



MESSY BEIGE

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

4 Random

THICKNESS
9 MM

MESSY
BEIGE



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

A NEW LEVEL
OF
EVOLUTION
WITH DIGNITY
DESIGN



MESSY NATURAL

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

4 Random

THICKNESS
9 MM

MESSY
NATURAL

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT MAKES
LUXURIOUS
LIFE WITH
STANDARD
ART



PINE WOOD CEDAR

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

PINE WOOD
CEDAR



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

INCREDIBLE
BEAUTY TO WOW
ALL! AND BRINGS
SIGNIFICANT
LOOK



PITCHPINE WOOD

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

PITCHPINE
WOOD



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

STANDARDS
OF LUXURY, IT
TAKES TO
NEW LEVEL



REPAL BROWN

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

REPAL
BROWN



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT IS UNIQUE,
BUT
SIMPLICITY
BEATS
COMPLEXITY




REPAL NATURAL

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

3 Random

THICKNESS
9 MM

REPAL
NATURAL

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT GIVES THE
FEELING OF
NATURAL
AROMA



ROTTEN BLACK

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

5 Random

THICKNESS
9 MM

ROTTEN
BLACK

200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

www.porceliss.com

IT GIVES
PERFECT
LOOK WITH
BEAUTY AND
COMPLEXITY



ROVER WOOD GREY

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

9 Random

THICKNESS
9 MM

ROVER WOOD
GREY



200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES

LET THE TREND BE
YOUR OWN STYLE
AND WOODEN
GIVES THE TOUCH
OF NATURE



SIMPOH BROWN

DIGITAL GLAZED
VITRIFIED TILES

200X1200 MM

WOODEN STRIP



THICKNESS
9 MM

7 Random

THICKNESS
9 MM

SIMPOH
BROWN




200X1200 MM
WOODEN STRIP

DIGITAL GLAZED
VITRIFIED TILES


www.porceliss.com

WOOD PLANK


LAYING PATTERNS




Brick Pattern




Standard Block Pattern




Diagonal Block Pattern




Basketwoove Pattern




Diagonal Basket Pattern




Square Basket Pattern




Single Herringbone Pattern




Double Herringbone Pattern




Diagonal Herringbone Pattern



Haddon Hall Pattern



Chevron Pattern



Monticello Pattern

TECHNICAL

SPECIFICATIONS

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

CHARACTERISTIC	TEST METHOD	REQUIREMENTS	OUR STANDARD
DIMENSIONS & SURFACE QUALITY			
Deviation in Length & Width	ISO-10545-02	± 0.10%	Within Criteria
Deviation in Thickness	ISO-10545-02	± 5.00%	Within Criteria
Straightness of Sides	ISO-10545-02	± 0.10%	Within Criteria
Rectangularity	ISO-10545-02	± 0.10%	Within Criteria
Surface Flatness	ISO-10545-02	± 0.50%	Within Criteria
Surface Quality	ISO-10545-02	Min. 95% of the Tiles shall be free from visible defects that would impair the appearance of a major area of the Tiles	Within Criteria
PHYSICAL PROPERTIES			
Water Absorbtion	ISO 10545-03	Average ≤ 0.08%, Individual 0.10% Max.	Within Criteria
Modulus of Rapture	ISO 10545-04	R ≥ 35 N/mm ²	Compliant
Breaking Strength	ISO 10545-04	Min. 1300 N	Compliant
Moisture Expansion	IS 13630-3	0.02 Max	Compliant
Moh's Hardness	EN 101	Min. 5	Compliant
Surface Abration Resistance	ISO 10545-07	Class II Min.	Compliant
Linear Thermal Expansion	ISO 10545-08	Max. 6.0 x 10 ⁻⁶	Compliant
Thermal Shock Resistance	ISO 10545-09	Min. 10 Cycles	Compliant
Crazing Resistance	ISO 10545-11	4 Cycles at 7.5 Bar Min.	Compliant
Impact Resistance	ISO 10545-05	0.55 Min.	Compliant
Frost Resistance	ISO 10545-12	Required	Compliant
Resistance to Deep Abration (Unglazed Tiles)	ISO 10545-06	175 Max.	Compliant
Bulk Density	IS 15622-2	2.20 g/cc	Compliant
CHEMICAL PROPERTIES			
Resistance to High & Low Concentrations of Acids & Alkalis	ISO 10545-13	As per Mfg.	No visible effect
Resistance to household chemicals & swimming pool Salts	ISO 10545-13	Min. GB	Compliant
Stain Resistance	ISO 10545-14	Min. Class 3	Compliant

Packing Details (Per Box)

Dimension	Pcs.	Sq. Mtr.	Sq. Ft.
200x1200mm	5	1.20	12.92

Disclaimer: Product images shown in this Catalogue are for Design Representation. All efforts are made to show accurate colour of the product but actual product colour may differ from the printed image due to printing limitations. It is advised to see the product samples for actual colour reference • Shade variation is inherent characteristic of ceramic products. Hence different sizes and batches of same design may have variation in colours • Please follow the Tile Laying instructions printed on the box before installing the Tiles • Company may change the designs, colours, randomness or book-match without prior intimation • Due to continuous technology upgrade technical specification of the products may change without prior intimation.