

CARVING
Collection

Porc'ElissTM
Inspiring Envision



SIZE :
600X1200MM



ABOUT US



The strategic perspective of Porc'Eliss is enriched with a new technology, with a horizon of beauty, creativity and functionality, which puts the values of ceramics at the center.

Porc'Eliss collections embody the combination of beauty, design and nature, in a perfect equilibrium achieved through what has always been a deliberate and thought-out approach. Our constant commitment, supported by continuous technological research, has enabled us to improve and to develop a "sustainable" porcelain stoneware, made with natural materials and with the partial use of recycled materials.

CARVING

Collection

Porc'ElissTM
Inspiring Envision



THE CARVING EFFECT BECOMES THE
ABSOLUTE STAR AND CHANGES THE PERCEPTION OF
A SPACE WITH ITS MAGNETIC APPEAL.

APPLICATION AREA



AIRPORTS



HOTELS



HOMES



RESTAURANTS



SHOPS



KITCHENS AND
BATH ROOM



RETAIL MALLS



MUSEUMS

These are the most common type of surfaces used for your place.

FEATURES OF




PERFECTLY
FLAT



EASY TO
CLEAN



RESISTANT TO
CHEMICALS



BENDING STRENGTH



HYGIENIC



LIGHT WEIGHT





EASY TO
INSTALL



RESISTANT TO
TRAFFIC & WEAR

Here are a few of the main features that make these tiles a practical yet versatile stylish option.



**AMITH
NATURAL**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**AMITH
PEARL**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**ARGENT
BEIGE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**ARGENT
BIANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**ARGENT
GREY**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**ARGENTO
LEMONADE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**ARGENTO
PEARL**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**ATTIC
WOOD**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**CENTRO
MELLOW**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**CENTRO
RHINO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**ELIGAN
TOUCHE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES








**FABULA
STATUARIO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**FERRO
MAYA**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**FERRO
YALE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**GLACIER
MELLOW**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**IMOLA
BIANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**IMOLA
CREMA**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**IMOLA
NATURAL**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**KRYSTALLO
GREY**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**NOKTA
ABALONE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**NOKTA
ORCHE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**NOLITA
ASH**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**NOLITA
BIANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**NOLITA
CREMA**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**NOLITA
GRIGIO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**NOLITA
NITE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**NOLITA
SAND**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**OSAKA
BEAST**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**SILKEN
BIANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**TERRADURO
WHITE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**THELMA
BLANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**TITANIO
GRIGIO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**TITANIO
MINK**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES







**TITANIO
ROYAL**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**VENUS
BIANCO**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES






**VENUS
LEMONADE**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES





**VENUS
TORTILLA**

600x
1200mm

GLOSSY CARVING
FINISH

GLAZED
VITRIFIED
TILES



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B/A	MEAN VALUE OF INFILLEY PGVT	MEAN VALUE OF INFILLEY GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²	Min. 35 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1700 N	Min. 1700 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9 mm	2 pcs.	1.44 sq. mtr.	29 kgs.



CORPORATE OFFICE ADDRESS

Porceliss Surfaces LLP

Office - 331, Subh Corporate Hub,
Mahendranagar Circle, Morbi,
Gujarat -INDIA - 363642

Email : export@porceliss.com

Web : www.porceliss.com

Contact : +91 82000 6314 / +91 77789 88887