

Beneath & Beyond the Surface



HIGH GLOSS
COLLECTION

1200X
1200mm


1000X
1000mm

www.porceliss.com



We Are...

Our innovative spirit has helped us to create a diverse market appropriate product range that is an extremely useful tool for architects, interior designers and builders alike, We believe in technological innovations and making tile manufacturing progressively safer and more eco-friendly by offering eco-sustainable ceramic products to the customers.



1000x1000mm | 1200x1200mm



TECHNICAL FEATURES



Impact
Resistance



Chemical
Resistance



Ecological &
Sustainable



Stain
Resistance



Frost
Resistance



Breakage
Resistance



Thermal Shock
Resistance



Easy to
Clean



APPLICATION AREAS



Residential



Garden &
Pool Area



Restaurants



Kitchen



Airports



Malls



Hotels



Offices



Porc'Eliss
Inspiring Envision

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**APOLLO
BLACK**

Available In :

1200x
1200MM

1000x
1000MM

www.porceliss.com



SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**AQUA
VERDE**

Available In :

1200x
1200MM

1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

ARMANI
GOLD

Available In :

1200x
1200MM

1000x
1000MM



SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

APOLLO
BLACK

Available In :

1200x
1200MM

1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

BEACON
BLACK

Available In :

1200x
1200MM

1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**BELGIUM
BLACK**

Available In :

1200x
1200MM

1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**BRATVI
BLACK**

Available In :

1200x
1200MM

1000x
1000MM



SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

ENDURANCE
PEARL

Available In :

1200x
1200MM

1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

KEYLIN
BROWN

Available In :

1200x
1200MM

1000x
1000MM



SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**LIEM
BLACK**

Available In :

1200x
1200MM

1000x
1000MM

SIZE:
1200X1200MM

SURFACE:
HIGH GLOSS

**MARMO
NERO**

Available In :

1200x
1200MM

1000x
1000MM





SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

NERO

Available In :





SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**SAHARRA
NOIR**

Available In :

1200x
1200MM

1000x
1000MM



SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**SIMBA
BLACK**

Available In :

1200x
1200MM



1000x
1000MM

SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**TITANIUM
BLACK**

Available In :





SIZE :
1200X1200MM

SURFACE :
HIGH GLOSS

**VOLGA
BLUE**

Available In :

1200x
1200MM

1000x
1000MM



TECHNICAL SPECIFICATION

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	ACCORD VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%

PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm 1300N	≤7.5mm-1000N ≥7.5mm 1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc


CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x1200mm	9mm	2 pcs.	2.88 sq. mtr.	60 kg

TILING POSSIBILITIES

1200x1200mm





CORPORATE OFFICE ADDRESS

Porceliss Surfaces LLP

Office - 331, Subh Corporate Hub,
Mahendranagar Circle, Morbi,
Gujarat -INDIA - 363642

Email : export@porceliss.com

Web : www.porceliss.com

Contact : +91 82000 6314 / +91 77789 88887